PROGRESS IN NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY

An International Review Journal

VOLUMES 30/31

SUBJECT INDEX, AUTHOR INDEX
CONTENTS OF PREVIOUS VOLUMES

Executive Editors
J. W. EMSLEY and J. FEENEY

Consulting Editor
L. H. SUTCLIFFE

ELSEVIER

©1998 Elsevier Science B.V. All rights reserved.

0079-6565/98/$19.00

This journal and the individual contributions contained in it are protected by the copyright of Elsevier Science B.V., and the following terms and conditions apply to their use:

Photocopying
Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.
In the USA, users may clear permissions and make payment through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers MA 01923, USA. Tel.: (508) 750-8400; Fax: (508) 750-4744. In the UK, users may clear permissions and make payment through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK. In other countries where a local copyright clearance centre exists, please contact it for information on required permissions and payments.

Derivative Works
Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution.

Permission of the publisher is required for all other derivative works, including complications and translations.

Electronic Storage
Permission of the publisher is required to store electronically any material contained in this journal, including any article or part of an article. Contact the publisher at the address indicated.

Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by the manufacturer.

Printed in The Netherlands

♾ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

ELSEVIER

PROGRESS IN NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY

Subject Index, Volumes 30/31

α/β-gs-SELINCOR-TOCSY **30** 151
Absolute nuclear shielding constants **31** 321–2
Absorbing wall experiment **30** 55
Acetohydroxamic acid **30** 19–20
Acetone vapour ingress, PVC **30** 90–1
Adiabatic demagnetisation in the rotating frame (ADRF) **30** 178–9
Adiabatic longitudinal transport after dissociation engenders nuclear alignment (ALTADENA) **31** 294, 296, 297, 301, 303
  density operator **31** 299
  experimental setup **31** 302
Adiabatic remagnetisation in the rotating frame (ARRF) **30** 179
ADRF . *see* Adiabatic demagnetisation in the rotating frame
Alderman-Grant coils **31** 36
Alkyl nitrites **31** 133–4, 146–8
ALTADENA . *see* Adiabatic longitudinal transport after dissociation engenders nuclear alignment
Alternating gradient pulse methods, porous media **31** 358
Amides, gas-phase NMR **31** 129–33
Anisotropic overall tumbling **31** 81–4
Aplysia californica **31** 22
ARRF . *see* Adiabatic remagnetisation in the rotating frame
Automated shimming **31** 161
Aziridines **31** 135, 149

B_1-field correction **31** 173–4
Baseline errors **31** 211–14
Benzoxamic acid **30** 19–20
N-Benzyloxycarbonyl derivatives **30** 197
Berry pseudorotation **31** 135, 148
Beryllium borohydride **31** 137
Biological molecules, bound water **31** 259–85
Birdcage coils **31** 4, 36
2,3-Bisphosphorylglycerate, binding to haemoglobin **30** 58–9, 61–3
Bovine pancreatic trypsin inhibitor (BPTI) **31** 276
2,3-BPG . *see* 2,3-Bisphosphorylglycerate
BPTI . *see* Bovine pancreatic trypsin inhibitor
Brain **31** 156, 175–90
Bullvalene **31** 136, 149
Burst sequence **30** 90
Butyllithium **30** 16

Calixarenes **30** 27
CAMELSPIN **30** 12
Capillary electrophoresis (CE) **31** 33
Carbon
  ^{13}C NMR relaxation **31** 63–105
  C,C experiments **30** 146–8
Carr-Purcell-Meiboom-Gill (CPMG) sequence **30** 80, **31** 67
Catalytic cycles reversibility **31** 311–13
Central transition recovery experiments **30** 174–6
Cesium 3-ethyl-3-heptoxide **30** 17
Cesium tetraphenylborate **30** 25
Cetyltrimethylammonium bromide (CATB) **30** 33
Chapman-Kolmogoroff equations **30** 48
Chemical shift, plant specimens **31** 49–50
Chemical shift anisotropy **30** 71, **31** 65
Chemical shift contrast **31** 364
Chemical shift imaging (CSI) **30** 121, **31** 54, 156, 367
Chemical shift offsets **31** 171
Chemical shift selective (CHESS) **30** 121, **31** 58
  imaging **31** 50
  porous media **31** 365
Chemical shifts, gas-phase NMR **31** 138–40
Chemical vapor deposition **30** 241
Chemicaly induced dynamic nuclear polarization (CIDNP) **31** 294

CHESS . *see* Chemical shift selective
Chiral synthesis, parahydrogen **31** 310
CIDNP . *see* Chemically induced dynamic nuclear polarization
CIP . *see* Contact ion pair
Clinical studies, localized ^{1}H MR spectroscopy **31** 155–95
Closed-shell ion pairs **30** 2, 13–25
Closure problem **31** 347
Coherence selection **30** 106, 123–4
Coherence transfer **30** 105
  pathways **31** 231–3, 244–51
  universal bound **30** 177–8
Coil sensitivity **31** 4–5
Coil-loading correction **31** 174
Collective NMR relaxation model **31** 90
Combinatorial chemistry **31** 24, 25, 26–7
Compartmentation **31** 161, 167–70, 190
Complete-active-space (CAS) SCF method **31** 337
Composite 90° pulse **30** 244–7
Composite 180° pulse **30** 247–8
Composite pulses, toroids **30** 241–51
Configuration interaction doubles (CI-D) ansatz **31** 336–7
Configuration interaction method **31** 336–7
Conformational kinetics **31** 127–38
Consensus referencing **31** 222–3
Contact ion pair (CIP) **30** 15, 16, 17, 20, 21, 22
Continuous set of gauge transformations (CSGT) **31** 334
Continuous transformation of origin of current density (CTOCD) method **31** 334–6
Continuous wave spectroscopy **31** 3, 13–14
Cope rearrangement **31** 136, 149
Correlated spectroscopy (COSY) **30** 81, 184, 185
  coherence transfer pathways **31** 232, 247
  double quantum filtered **30** 126–7
  lithium **30** 16
  one-dimensional **30** 124–5
  selective **30** 141–2
  single transient per t_1 value **30** 125–6
  spin-locking **30** 12
  two-dimensional **30** 193, **31** 22
  z-COSY **30** 132
Correlation time, NOE **30** 4–5
COSY . *see* Correlated spectroscopy
Coupled cluster singles and doubles (CCSD) approximation **31** 126, 127
Coupled Hartree-Fock (CHF) **31** 125, 322
Coupled-cluster theory **31** 338–9
Coupling constants **30** 183–207, **31** 138–40, 143
Coupling effects, quantitative localized ^{1}H MR spectroscopy **31** 170–1
Cramer-Rao minimal variance **31** 165
Cross-relaxation **31** 261
Cross-relaxation NOE **30** 35
Cross-spectrum referencing **31** 240
CSA **31** 68
CTOCD . *see* Continuous transformation of origin of current density method
Cyclodextrins (CDs) **30** 26
Cyclohexane **31** 134, 137, 150, 151

Dante Elimination by B-One Gradient (DEBOG) **30** 122
DANTE sequence **30** 90, 119, 122, 141, **31** 20
DANTE-type series **31** 271–2
DEBOG . *see* Dante Elimination by B-One Gradient
Decahydro isoquinoline derivative (DHIQ) **30** 196–7
Defocusing processes **30** 103, 104
Defocusing-refocusing process **30** 108
Density dependence, nuclear shielding constants **31** 322
Density functional theory (DFT) **31** 127
Density matrix based approach **31** 301
Density operators **31** 297–300, 304
Dentistry, stray field imaging **30** 95
4-Deoxy-4-fluoro-D-glucose **30** 203
6-Deoxy-6-fluoro-D-galactose **30** 203
Detector optimization, RFI **30** 237–8
Diamagnetic susceptibility induced field gradients **30** 71
Diastereotopic methylene protons **30** 200–3
2,3-Dibromopropionic acid **31** 22
Dicobaltoctacarbonyl hydrogenation **30** 218
Diffusion
  coefficients **30** 235–7, 241
  filter **31** 266–7
  fringe field **30** 87–90
  NMR measurements **30** 39–68
  plant specimens **31** 46–7
  porous media **31** 353

propagator **31** 353–4, 374
rotational **31** 76–7, 78–9
self-diffusion **30** 40, 41–2, 102, 106, 109, **31** 46
STRAFI **30** 74
water molecules **31** 263–4
Diffusion-ordered spectroscopy (DOSY) **31** 252–4
Dihydrofolate reductase **30** 196
N,*N*-Diisopropyltrifluoroacetamide (DITFA) **31** 123–4
N,*N*-Dimethylnitrosamine **31** 135
N-(3,5-Dinitrobenzoyl)leucine propylamide **30** 31
α,α′-Diphenyl-β-picrylhydrazyl (DPPH) **31** 8–9
Dipolar field effects **31** 275
Dipolar relaxations, porous materials **31** 350–1
Dipole-dipole interaction **30** 70–1, 73
Direct mapping, spectral density functions **31** 90–1
Diseases, plant imaging **31** 59–60
Dissociative covalent complexes **30** 13–25
Distance resolution, toroid cavity imager **30** 233
DNA hydration **31** 279–80
DNMR5 **31** 128
Double pulsed field gradient-spin echo spectroscopy (DPFGSE) **30** 143–6
Double pulsed field gradient-spin echo-NOE (DPFGSE-NOE) **30** 8–10
Double quantum filtered (DQF) COSY **30** 126–7
Double quantum filtration experiments **30** 158, 162, 163–8, 174, 177–8, 180
DPFGSE-NOE . *see* Double pulsed field gradient-spin echo-NOE
DPPH . *see* α,α′-Diphenyl-β-picrylhydrazyl
DQF . *see* Double quantum filtration
Drying of films, stray field imaging **30** 94
Dual gradient pulsed methods, porous media **31** 358
Dynamic NMR **31** 120, 143–51
Dynamic nuclear polarization (DNP) **31** 8

E-BURP pulses **31** 269
Echo time
plant specimens **31** 48–9
quantitative localized ^{1}H MR spectroscopy **31** 160
Echo-planar imaging (EPI) **31** 371
Eddy current correction **31** 161–2
Einstein-Smoluchowski equation **30** 42, **31** 264
Electrochemistry **30** 238–41
Electron correlation effects **31** 336–40
Electron paramagnetic resonance (EPR) **31** 2–3, 6–9
Electronic excision **31** 53
Electrophoresis **31** 3, 32–4
Enantioselective complexation phenomena **30** 31
ENDOR **31** 8
Enhancement factors, PHIP **31** 300–1
Environmental stress **31** 56, 57
EPR . *see* Electron paramagnetic resonance
Equilibria, gas-phase NMR **31** 138
Equilibrium measurements, supercritical carbon dioxide **30** 218–23
1-Ethyl-3-methylimidazolium tetrachloroaluminate **30** 24
Exchange spectroscopy (EXSY) **30** 16
Exchanging systems, NOE **30** 6
EXSY . *see* Exchange spectroscopy
External reference standards **31** 172–3
Extramyocellular lipids (EMCL) **31** 165–6
Eyring equation **31** 128

Fast Fourier transformation **31** 165
Fast tracer-desorption technique **30** 55–7, 64
Fast-exchange chemical shifts **31** 140
Fast-exchange limit **30** 66–7
Fick's laws **30** 42–3, 48, **31** 46
FIDDLE . *see* Free induction decay deconvolution for lineshape enhancement
Fiddle software **31** 214–16
Films drying, stray field imaging **30** 94
Finite perturbation method **31** 323
Flip-angle independent Jeener-Broekaert experiment **30** 158, 162, 173–4, 180
Flower development **31** 56–7
Fluid phase discrimination **31** 364
Fluid phase distribution **31** 378
Fluorenyllithium **30** 15, 21
Fluorine, ^{19}F stray field imaging **30** 96
Fourier imaging **30** 73, **31** 50, 51–2, 54
Fourier transformation
NMR **31** 123
reference deconvolution **31** 230

stray field imaging **30** 85–7
Free induction decay deconvolution for line-shape enhancement (FIDDLE) **31** 201, 209, 211–12
Free induction decay (FID) **31** 161, 162, 163
Freeze-thaw, NOE **30** 7
Frequency domain fitting **31** 165–6, 167
Frequency encoded oscillating gradient echo methods **30** 73
Frequency swept stray field imaging **30** 85–7
Fringe field, diffusion **30** 87–90
Fruits **31** 57–8
Full configuration interaction (FCI) **31** 336

GAMMA **31** 301
Gas-phase molecules **31** 119–54
Gauge including atomic orbital (GIAO) method **31** 326–8, 340
Gauge including atomic orbital (GIAO)-CCSD **31** 339
Gauge including atomic orbital (GIAO)-CHF theory **31** 327–8
Gauge origin dependence **31** 325–6
Gauge origin independence **31** 320–1
Gauge-independent atomic orbital approach (GIAO) **31** 125, 126
Ge . *see* Gradient enhanced
GIAO . *see* Gauge including atomic orbital method
Glycine motions **31** 93
GOESY . *see* Gradient enhanced nuclear Overhauser effect spectroscopy
Gradient accelerated spectroscopy (GRASP) **30** 138
Gradient enhanced (ge) **30** 138
Gradient enhanced measurement of carbon coupling constants (GRECCO) pulse sequence **30** 148
Gradient enhanced nuclear Overhauser effect spectroscopy (GOESY) **30** 8–10, 144
Gradient selection (gs) **30** 138
Gradient-echo experiment **30** 43–5
Gradient-echo imaging **31** 48, 49
Gradient-enhanced NOESY **31** 251
Grand-canonical Monte Carlo simulations (GCMC) **31** 126
GRASP . *see* Gradient accelerated spectroscopy
Gravitropism **31** 44
GRECCO . *see* Gradient enhanced measurement of carbon coupling constants pulse sequence
Green's function **31** 353
GROESY **30** 145
Gs . *see* Gradient selection

^{1}H, ^{6}Li-HOESY **30** 14–15
Haasnoot equation **30** 188
Haemoglobin **30** 57–9, 61–3
Hahn spin-echo experiment **30** 43, 45
Hankel-Lanczos singular value decomposition (HLSVD) **31** 162
Hartree-Fock approximation **31** 322–36, 339
Hellmann-Feynman (HF) theory **31** 322–3
Helmholtz coils **31** 36
Helmholtz detectors **30** 210–11
Heteronuclear correlation spectroscopy **30** 129–30
Heteronuclear coupling constants **30** 185, 186–7, 190
Heteronuclear multiple bond correlation (HMBC) **30** 130, **31** 231, 244–7
Heteronuclear multiple quantum correlation (HMQC) **30** 130, **31** 26, 231, 270, 276–7
Heteronuclear NMR spectra **31** 309–10
Heteronuclear referencing **31** 255
Heteronuclear single quantum correlation (HSQC) **30** 129, 151, **31** 275
Heteronuclear techniques **30** 148–55
HETGOESY **30** 152
Hexafluorobenzene, solvent ingress **30** 92
High frequency models, microcoils **31** 14–16
High pressure NMR, toroids **30** 210–27
High resolution NMR **30** 70–4, **31** 3, 21–4, 233
Hilbert reference deconvolution algorithm **31** 209–10, 211, 215–16
Hittorf method **30** 239–40
HMBC . *see* Heteronuclear multiple bond correlation
HMQC . *see* Heteronuclear multiple quantum correlation
HOESY **30** 13, 16–17, 25, 33, 152
Homoallylic fragments **30** 195
Homonuclear applications **30** 141–8
Homonuclear referencing **31** 255
Host-guest associations **30** 2, 25–8
HSQC . *see* Heteronuclear single quantum correlation

Hydration of biomolecules **31** 260–85
Hydrogen bonding, NOE **30** 28–33
Hydroxamic acids **30** 19–20
8α-9-(R)-Hydroxyl-1-(phenylmethyl)cinchonanium chloride **30** 22

IGLO . *see* Individual gauge localized orbitals method
Image contrast, plant specimens **31** 47–8
Impedance matching **31** 10–12, 36, 174
Impedance-matched solenoidal microcoils **31** 3
In situ measurements, propylene hydroformylation **30** 223–6
In vivo NMR **31** 254–5
INADEQUATE experiment **31** 306
INADEQUATE-type methods **30** 146–7, **31** 148
Individual gauge localized orbitals (IGLO) method **31** 328–30
INEPT **31** 275
  + sequence **31** 305
  experiments **30** 147
  pulse sequence **31** 304–5
  transfer **30** 149, 153
Inhomogenous line broadening **31** 352
myo-Inositol **30** 197
D-*chiro*-Inositol **30** 197
Instrument fault diagnosis **31** 242
Intensity ratio, slow-exchange resonances **31** 140–3
Interionic NOEs **30** 22–3
Intermolecular interactions, nuclear Overhauser effects **30** 1–38
Intermolecular NOEs **30** 31–2, **31** 260, 261–4, 265–75
Internal reference standards **31** 171–2
Internal rotation **31** 86–7, 128, 129
Internet conferences **31** 107–17
Intracationic ROEs **30** 24
Intramolecular NOEs **31** 261
Intramolecular vibrational relaxation (IVR) **31** 120, 143, 146
Intramyocellular lipids (IMCL) **31** 165–6
Inversion-recovery
  method **31** 127
  sequence **31** 369
  T_1 experiment **30** 248
Ion pairs **30** 2, 13–25
Ionic solvation **30** 34
ISIS **31** 159
Isotope-editing techniques **30** 185–6

Jeener-Broekaert experiment **30** 158, 162, 168–72, 174–5, 177–8, 179–80
Jump model **31** 95–6

Karplus equation **30** 187–8, 192
Kemp's triacid derivatives **30** 32
Kirkwood-Steel-Huntress theory **31** 74

Langevin equation **31** 80
Leaves **31** 56
Limiting factors, quantitative localized ^{1}H MR spectroscopy **31** 170–1
Limits of detection (LODs) **31** 2, 5–6, 16
Lindemann mechanism **31** 143–4, 149
Lindman's first law **30** 60
Line broadening mechanisms **30** 70–4
Line narrowing techniques **30** 71, 72
Lineshape correction **31** 233–40
Lipari and Szabo model **31** 70–1, 73–4, 90, 96, 97
Liquid chromatography, NMR-coupled **31** 3, 27–32
Lithium
^{7}Li spectroscopy **30** 233
  ion transport **30** 239
  NOE **30** 14–19
  quadrupolar nucleus **30** 25
Local volume averaging (LVA) **31** 347, 348–9
Localization sequences **31** 159
Localized ^{1}H MR spectroscopy **31** 155–95
Localized orbital/local origin (LORG) method **31** 126, 330–3
LODs . *see* Limits of detection
Long-range coupling constants **30** 193–6
Longitudinal magnetization **30** 108
Longitudinal relaxation, porous media **31** 354–5
Longitudinal spin relation **30** 250–1
Lorentz-Gauss conversion **31** 237
Lorentz-Gauss transformation **31** 204, 211
LORG . *see* Localized orbital/local origin method

Macroscopic models, porous materials **31** 347
Magic angle spinning (MAS) **30** 34
  microcoils **31** 24–7

plant specimens **31** 45
techniques **30** 71
Magnetic susceptibility compensation **31** 16
Magnetic susceptibility differences **31** 47
Magnetization-grid rotating-frame imaging (MAGROFI) **30** 235, 236
MAGROFI . *see* Magnetization-grid rotating-frame imaging
Many-body perturbation theory second order (MBPT2) **31** 125–6
Marquardt-Levenberg algorithm **31** 165
Maximum intensity projections **31** 52
MC-GIAO **31** 338
Membrane transport, NMR diffusion measurements **30** 39–68
Metabolite tissue content **31** 174–80
(2-Methoxy-(R)-1-phenylethyl)((S)-1-phenylethyl)amine **30** 16
Methyl group rotations **31** 82–3, 84–5, 96–8
Methyl nitrite, RRKM theory **31** 150–1
Methylene motions **31** 91
N-Methylquinuclidinium iodide, host-guest complexes **30** 27
Micelles **30** 33
Micro-probes **31** 36
Microfabrication techniques **31** 37–8
Microimaging **31** 3, 34–6, 39
Microscopic models, porous materials **31** 346–7
Microseparation techniques, on-line coupling **31** 27
Model-free approaches **31** 70–2, 96–8
Modified spin-echo pulse sequence **30** 45–6
Molecular association, PFG NMR **30** 57–64
Molecular conformation, coupling constants **30** 183–207
Molecular dynamics **31** 64, 282–3
Molecular recognition **30** 2, 30, 33
Molecular solvation **30** 34
Molecular structure, coupling constants **30** 183–207
Moller-Plesset perturbation theory **31** 339–40
Moller-Plesset perturbation theory second order (MP2) **31** 127
Motional model analysis **31** 63–105
Motional restriction maps **31** 91–3
Multi-user domain, object-oriented (MOO) environment **31** 109, 110
Multiconfiguration IGLO (MC-IGLO) method **31** 337
Multiconfiguration self-consistent-field (MCSCF) method **31** 337–8
Multidimensional NMR **31** 244
Multimolecular aggregates **30** 2
Multiphase flow properties, porous media **31** 383
Multiple echoes **30** 77, 78
Multiple Hahn echo sequence **30** 80
Multiple internal rotations **31** 84
Multiple linear regression analysis, solvent effects **31** 143
Multiple primary Hahn echoes **30** 81
Multiple pulse sequences ((MPS) **31** 45
Multiple referencing **31** 216–23
Multiple rotation jump model **31** 87–8
Multiplet reference signals **31** 216–22

Nanoprobe **31** 3, 24–7
N-(2-Naphthyl)alanine methyl ester **30** 31
Network models **31** 361–2
Nitrogen, ^{15}N NMR relaxation **31** 63–105
Nodules **31** 55–6
NOE . *see* Nuclear Overhauser effect
NOESY . *see* Nuclear Overhauser enhancement spectroscopy
Noise, solenoidal coils **31** 5
Non-selective experiments **31** 274–5
Norbornene **30** 189–90
Normal mode analysis **31** 89–90
Nuclear Overhauser effect difference (NOED) **31** 242–3
Nuclear Overhauser effect (NOE) **30** 144, 145, 183, **31** 66, 68
intermolecular interactions **30** 1–38
water bound to biological molecules **31** 259–85
Nuclear Overhauser enhancement spectroscopy (NOESY) **30** 3, 13, 28, 30
B_1 gradients **30** 130–1
DNA and RNA hydration **31** 279–80
gradient enhanced **31** 251
lithium **30** 16
non-selective experiments **31** 274–5
protein hydration **31** 276–7, 278–9
selective water excitation **31** 267, 269–70
spin-lock pulses **31** 266
water-solute cross peaks **31** 264–5, 267

Nuclear spin Zeeman splitting **31** 318
Nuclear spin-lattice relaxation **30** 4
Nuts **31** 58–9
Nyquist frequency **30** 115, 116, 117

Obstructed diffusion **30** 41
Off-resonance effects **30** 102, 131–3
Off-resonance excitation **30** 247
Off-resonance spin-locking **30** 12
On-line coupling, microseparation techniques **31** 27
One-bond coupling constants **30** 186
One-dimensional COSY **30** 124–5
One-dimensional difference spectroscopy **31** 242–4
One-dimensional NMR, reference deconvolution **31** 233–42
One-dimensional radiofrequency field gradient imaging **30** 115–17
Ordered environments, ^{23}Na NMR methods **30** 157–81
Organolithium **30** 2, 14–19
Organometal complexes **30** 14–19
Organometallic dihydrides characterization **31** 313
Orthodichlorobenzene **31** 234
Orthohydrogen **31** 294–5, 302
Outer volume (OV) signal suppression **31** 159–60
Overall coil-loading **31** 173
Overall tumbling **31** 72–84
Oxo reaction **30** 218, 227

Parahydrogen induced polarization (PHIP) **31** 293–315
Parahydrogen and synthesis allow dramatically enhanced nuclear alignment (PASADENA) **31** 294, 295–6, 303–7
  enhancement factors **31** 300–1
  experimental setup **31** 302
Parahydrogen-INADEQUATE (PH-INADEQUATE) sequence **31** 306
Parahydrogen-INEPT sequence (PH-INEPT) **31** 305
Parallel synthesis **31** 24
Paramagnetic impurities **30** 72–3
Paramagnetic ions **31** 351–2
Paramagnetic materials **30** 93–4
Partial volume effects **31** 170
PASADENA . *see* Parahydrogen and synthesis allow dramatically enhanced nuclear alignment
Pelargonium graveolus **31** 47
Peptide dynamics, motional model analysis **31** 63–105
Permeability, porous materials **31** 348–9, 381–3
Pests, plant imaging **31** 59–60
PFGLED . *see* Pulsed field-gradient longitudinal eddy-current delay pulse sequence
PH-INADEQUATE . *see* Parahydrogen-INADEQUATE sequence
PH-INEPT sequence . *see* Parahydrogen-INEPT sequence
Phase tracking **31** 202
Phase-shift approaches **31** 369, 370
PHIP . *see* Parahydrogen induced polarization
PHOGSY **30** 144, **31** 277, 278
Phosphine-modified cobalt hydroformylation catalysis **30** 226
Pi-stacked complexes, NOE **30** 28–33
Plants, magnetic resonance imaging **31** 43–62
PMMA . *see* Poly(methyl methacrylate)
Polarization propagator approximation (PPA) **31** 333–4
Polymeric mixtures **30** 2
Polymers
  solvent ingress **30** 90–2
  structure and solvation **30** 33–4
Poly(methyl methacrylate) (PMMA)
  methanol ingress **30** 91
  solvent ingress **30** 92
  stray field imaging **30** 96
Poly(tetrafluoroethylene) (PTFE), stray field imaging **30** 96
Poly(vinyl chloride) (PVC), acetone vapour ingress **30** 90–1
Population-based approach, PHIP **31** 301
Pore coupling **31** 361–2
Pore-size distribution **31** 376–7
Porosity **31** 347, 378–9
Porous materials characterization **31** 343–86
Poster sessions, Internet **31** 108–10
Potential energy surfaces **31** 126
PPA . *see* Polarization propagator approximation
PRESS **31** 159–60, 167, 171
Pressure-dependence, thermal unimolecular

reactions **31** 143–51
Pressure-probe design **30** 210–15
Projection-reconstruction technique **31** 50, 51
Propagator **30** 49–50, 65–6
Propylene hydroformylation, in situ measurements **30** 223–6
Protein dynamics, motional model analysis **31** 63–105
Protein hydration **31** 276–9
Proton-coupled NMR relaxation experiments **31** 69–70
Proton-decoupled NMR relaxation experiments **31** 66–9
Protonation/deprotonation equilibria **30** 19–20
Proximity effect, microcoils **31** 14–15
Pulsed field gradient longitudinal eddy-current delay pulse sequence (PFGLED) **30** 46, 61–3
Pulsed field gradient stimulated echo measurements **30** 22
Pulsed field gradients (PFG) **30** 103–5, **31** 269, 270–1, 272–3, 275
  NMR spectroscopy **30** 40, 41–68
  porous media **31** 357–61
  selective radiofrequency pulses combination **30** 137–56
  spin-lock pulses **31** 266
Pulsed gradient spin echo (PGSE) **30** 107
Pyrylium naphthyl-sulfonate **30** 24

Quadrature echo **30** 76–8, 80
Quadrupolar nuclei, NOE **30** 24–5
Quadrupolar relaxation **30** 14, **31** 350–1
Quadrupole interaction **30** 71–2
QUALITY. *see* Quantification improvement by converting lineshapes to the Lorentzian type
Quantification improvement by converting lineshapes to the Lorentzian type (QUALITY) **31** 201, 255
Quantitative localized ^{1}H MR spectroscopy **31** 155–95

Radiation damping **31** 225, 228, 267
Radiofrequency field gradient **30** 101–35, 227–8
Radiofrequency microcoils **31** 1–42
Random phase approximation (RPA) **31** 330–1
Random walk simulation, 2,3-BPG diffusion **30** 63–4
Rapid rotating-frame imaging with a r.f. pulse train (RIPT) **30** 115
Rapid-scan cross-correlation NMR spectroscopy **31** 201
REBURP **30** 141
Reciprocity principle **31** 173
Recoil rotations **31** 99–100
Reference deconvolution methods **31** 197–257
Reference lineshape adjustment algorithm (RLSA) **31** 201, 242
Reference standards **31** 171–2
Relaxation **31** 63–105
  contrast **31** 368
  distribution **31** 377–8
  gas-phase NMR **31** 122–3, 127
  measurements, motional spectral densities **31** 65–70
  porous materials **31** 349–52
Relaxation times
  analysis **30** 64–5
  cerebral metabolites **31** 180–1
Repetition time, plant specimens **31** 48–9
Representative volume element (REV) **31** 347
Residence times **31** 280–1
Resolution enhancement **31** 233–40
Restricted diffusion **30** 41
Rice-Ramsperger-Kasel-Marcus (RRKM) theory **31** 143–9
Rigid sphere model **31** 261
RNA hydration **31** 279–80
ROEs . *see* Rotating frame NOEs
Root systems **31** 55–6
Rotary echo **30** 108
Rotating frame **30** 103–4, 106
  adiabatic demagnetisation **30** 178–9
Rotating frame imaging (RFI) **30** 114–15, 229–38
Rotating frame NOEs (ROEs) **30** 10–12, 22, **31** 261
Rotating frame Overhauser enhancement spectroscopy (ROESY) **30** 3, 12, 13, 17, 23, 24
  DNA and RNA hydration **31** 279–80
  protein hydration **31** 276–7, 278–9
  reference deconvolution **31** 243
  selective water excitation **31** 273
  spin-lock pulses **31** 266
  water-solute cross peaks **31** 264–5, 267

Rotational correlations **31** 93–6, 102–3
Rotational diffusion **31** 76–7, 78–9
Rotational fluctuations **31** 79–81
Rotational isomeric state (RIS) approximation **31** 139
Rotational isomerism **30** 200–3
Rotational jumps **31** 77–8, 80–1, 83–4, 87–8

S/N . *see* Signal-to-noise ratio
Saddle coils **31** 4–5
Saturated six-membered rings **31** 134–5, 148
SCF-IGLO **31** 337–8
Second order LORG (SOLO) **31** 340
Second-order many-body perturbation theory (MBPT2) **31** 125–6
Second-order polarization propagator approximation method (SOPPA) **31** 340
Seedlings **31** 59
Seeds **31** 58–9
SEEING **30** 234
Selective COSY **30** 141–2
Selective excitation of polarization using PASADENA (SEPP) sequence **31** 306
Selective radiofrequency pulses, pulsed field gradients combination **30** 137–56
Selective TOCSY **30** 142–3
Selective water excitation **31** 267–73
Self-consistent field (SCF) **31** 127, 322–3
Self-deconvolution **31** 201, 223
Self-diffusion **30** 40, 41–2, 102, 106, 109, **31** 46
Self-resonance **31** 10–12
SELINCOR sequence **30** 148–9, 151
SELINQUATE **30** 146, 147
SELTRIP **30** 153
Sensitivity analysis **31** 4–5
Separation-coupled NMR **31** 39
SEPP sequence . *see* Selective excitation of polarization using PASADENA
Shell-type hydroformylation catalysts **30** 226–7
Shielding **30** 73, **31** 120, 123
  constants **31** 317–42
  gas-phase NMR **31** 124–7
  tensor **31** 318–20
Shimming **31** 161
Signal-contribution vector **30** 243
Signal-to-noise ratio **30** 82–3, **31** 2, 4, 5, 8, 16
  microimaging **31** 34
  plant specimens **31** 46
  reference deconvolution **31** 224, 235
SIMONE **31** 301
Single-axis rotation model **31** 75–84
Single-file diffusion **30** 42
Single-pulse experiments, toroids **30** 242–4
Singular value decomposition (SVD) **31** 162, 167
Skin depth, microcoils **31** 14–15
Slow-exchange resonances, intensity ratio **31** 140–3
Small-scale axial resonators **31** 36–7
Smoluchowski's equation **31** 79
Sodium
  ^{23}Na NMR methods **30** 157–81
  ^{23}Na stray field imaging **30** 96
Sodium dodecyl sulfate (SDS) **31** 311
Solenoidal coils **31** 9–36
Solenoidal microcoils **31** 3, 6–9
Solenoids **30** 210–11, **31** 4–5
Solid echo **30** 76
Solid state NMR **30** 70, 73, **31** 39, 254
SOLO . *see* Second order LORG
Solute binding, NMR diffusion measurements **30** 39–68
Solvation
  micelles and polyers **30** 33–4
  molecular and ionic **30** 34
  NOE **30** 2
Solvent ingress into polymers **30** 90–2
Solvent resonance suppression **30** 122–3
Solvent-separated ion pair (SSIP) **30** 15, 16, 17, 21
Solvent-solute interactions **30** 2
Spatial labeling **30** 102
Spatially resolved NMR **31** 363–4
Spectral acquisition, gas-phase NMR **31** 123–4
Spectral density **31** 65–72, 261
  direct mapping **31** 90–1
  NOE **30** 4
Spectral overlap **30** 185
Spectrally selective methods **31** 364–5
Spin density **30** 105, **31** 49, 363, 364
  porous media **31** 353
Spin-echo experiment, plant specimens **31** 47
Spin-echo imaging, plant specimens **31** 48, 56, 57
Spin-echo pulsed field gradients, porous media **31** 358

Spin-echo spectroscopy **31** 26
Spin-lattice relaxation **31** 123, 349–50
Spin-lock pulses **31** 265–6
Spin-locking **30** 10
Spin-spin relaxation time T_2, plant specimens **31** 46
Split synthesis **31** 24
SSIP . *see* Solvent-separated ion pair
Stacked membranes **30** 47–8
Steady state NOEs **30** 7–8
Steady-gradient spin-echo method **30** 43
STEAM **31** 159–60, 167, 171
Stems **31** 56
Stimulated-echo pulsed field gradients, porous media **31** 358
STO-3G **31** 325
Stokes' law **30** 42, **31** 263
Stokes-Einstein model **30** 35, **31** 72
Storage properties, porous materials **31** 347–8, 378–81
STRAFI . *see* Stray field imaging
Stray field imaging (STRAFI) **30** 69–99, **31** 45, 46, 47, 51, 55–6, 60
Sulfur tetrafluoride **31** 135–6, 148–9
Sum-over-states density functional perturbation theory (SOS-DFPT) **31** 127
Supercritical carbon dioxide
  dynamic processes **30** 218–23
  equilibrium measurements **30** 218–23
  propylene hydroformylation **30** 223–6
Supercritical fluids **30** 215–18
Surface coils **30** 102, 106
Surface reconstruction **31** 52
Surface relaxivity **31** 373–4, 378
Surface-to-pore volume ratio **31** 373–4
Susceptibility broadening **30** 93
Susceptibility-matching matrix **31** 17–18
Susceptibility-matching techniques **31** 2, 3

T_1 relaxation **30** 248–51
Temperature
  gas-phase NMR **31** 124
  nuclear shielding constants **31** 322
TentaGel **31** 24
Terabutylsilane **30** 22
Tetrabutylammonium chloride **30** 22
Tetrabutylammonium (TBA^+) salts **30** 20–1
Tetrabutylammonium tetrahydridoborate **30** 25
Tetrahydridoborate (BH_4^-) protons **30** 20, 25
Tetramethylsilane **31** 205, 222, 231, 234, 237, 256
Thermal unimolecular reactions, pressure-dependence **31** 143–51
Thioamides, gas-phase NMR **31** 129–33
Three-bond coupling constants **30** 187–93
Three-dimensional imaging, plant specimens **31** 52–4
Three-dimensional STRAFI **30** 83–4
Through-space coupling **30** 185, 194–6
Time domain fitting **31** 166–7
Time-of-flight approaches **31** 369–70
TOCSY **31** 275
  α/β-gs-SELINCOR-TOCSY **30** 151
  adiabatic pulses **30** 132–3
  reference deconvolution **31** 243
  selective **30** 142–3
  spin-locking **30** 12
  water-solute cross peaks **31** 264
TOE . *see* Truncated-driven NOE
Toroid cavity detector **30** 213–15
Toroid cavity imager **30** 227–41
Toroids **30** 209–53
Tortuosity **31** 373–4
Transient NOE **30** 8
Translational self-diffusion **30** 41–2
Transport properties, porous materials **31** 348–9, 381–3
Transverse relaxation, porous media **31** 356–7
2,4,6-Triaryl pyrylium tetrafluoroborates **30** 24
Triphenylmethylithium **30** 17
Truncated-driven NOE (TOE) **30** 8, 30
Truncation artefacts **31** 206–11
Two-bond coupling constants **30** 186–7
Two-dimensional COSY
  2,3-dibromic acid **31** 22
  long-range coupling constants **30** 193
Two-dimensional cross-relaxation experiments **30** 3
Two-dimensional NMR **31** 247
Two-dimensional NOESY **30** 32
Two-dimensional radiofrequency field gradient imaging **30** 117–19
Two-dimensional reference deconvolution **31** 228–33
Two-dimensional ROESY **30** 23

Two-region model, PFGNMR **30** 48–54
Two-site diffusion-binding theory **30** 59–60
Two-site exchange **30** 64
Two-spin system, NOE **30** 3–5

Velocity imaging **31** 369–73

Water, bound to biological molecules **31** 259–85
Water molecule diffusion, plant specimens **31** 46–7
Water suppression **31** 160–1, 265, 266, 279
Water-solute cross peaks **31** 264–5, 267
WATERGATE **30** 122, 144, **31** 266, 273
Wettability **31** 374–6
WNOESY **31** 276, 277, 278
Wobbling-in-a-cone model **31** 88–9, 92, 262
World Wide Web **31** 108–12
WROESY **31** 277, 278

Xanthobilirubic acid methyl ester **30** 28

Zero-susceptibilty materials **31** 18–21, 25

ELSEVIER

PROGRESS IN NUCLEAR
MAGNETIC RESONANCE
SPECTROSCOPY

Author Index, Volumes 30/31

Bargon, J., **31** 291
Barjat, H., **31** 197
Berger, S., **30** 137
Brown, S.P., **30** 157, **31** 287

Canet, D., **30** 101
Chang, C.T.P., **31** 343
Chapman, B.E., **30** 39
Chudek, J.A., **31** 43

Daragan, V.A., **31** 63
Doughty, S.W., **31** 107

Finn, B.E., **31** 107
Fukui, H., **31** 315

Gardner, K., **31** 107
Gerald II, R.E., **30** 209
Günther, H., **30** 255

Hardy, B.J., **31** 107
Horne, T.J, **31** 197
Hughes, C.E., **30** 157, **31** 287
Hunter, G., **31** 43

Kemp-Harper, R., **30** 157, **31** 287
Klinger, R.J., **30** 209
Kramarz, K.W., **30** 209
Kreis, R., **31** 155
Kuchel, P.W., **30** 39

LeMaster, C.B., **31** 119
Lennon, A.J., **30** 39

Mayo, K.H., **31** 63
McDonald, P.J., **30** 69
Mo, P., **30** 1
Morris, G.A., **30** 255, **31** 197

Natter, J., **31** 291

Otting, G., **31** 107

Parretti, M.F., **31** 107
Pochapsky, T.C., **30** 1

Rathke, J.W., **30** 209

Styles, P., **30** 157, **31** 287

Tennison, J., **31** 107
Thomas, W.A., **30** 183

Waldeck, A.R., **30** 39
Watson, A.T., **31** 343
Webb, A.G., **31** 1
Wimperis, S., **30** 157, **31** 287
Woelk, K., **30** 209

ELSEVIER

PROGRESS IN NUCLEAR
MAGNETIC RESONANCE
SPECTROSCOPY

Contents of Previous Volumes

Volume 27

Selenium-77 Nuclear Magnetic Resonance Spectroscopy
H. DUDDECK
Chemical Shifts in Proteisn Come of Age
L. SZILÁGYI
^{1}H NMR in the Structrual and Confromational Analysis of Oligosaccharides and Glycoconjugates
E.F. HOUNSELL
^{1}H NMr Spectroscopy of Human Blood Plasma
M. ALA-KORPELA
^{13}C Nuclear Nagnetic Relaxation and Local Dynamics of Synthetic Polymers in Dilute Solution and in the Bulk State
P. DAIS and A. SPYROS
Hydration Water Molecules seen by NMr and by X-Ray Crystallography
M. BILLETER
^{2}H Zero Field NMR Spectroscopy
P. JONSEN

Volume 28

Milestones in the First Fifty Years of NMR
J. W. EMSLEY and J. FEENEY
A Historical Account of NMR in the Solid State
E. R. ANDREW and E. SZCZESNIAK
The Development of Experimental and Analytical High Resolution NMR
J. N. SHOOLERY
A History of Biological Applications of NMR Spectroscopy
J. S. COHEN, J. W. JAROSZEWSKI, O. KAPLAN, J. RUIZ-CABELLO and S. W. COLLIER
From NMR Diffraction and Zeugmatography to Modern Imaging and Beyond
F. W. WEHRLI
Spin Dynamics of Exchanging Quadrupolar Nuclei in Locally Anisotropic Systems
B. HALLE
Metabolite Profiling by One- and Two-Dimensional NMR Analysis of Complex Mixtures
T.W.-M.FAN
NMR Studies of High T_c Superconductors
K. ASAYAMA, Y. KITAOKA, G.-Q. ZHENG and K. ISHIDA
Flourine-19 Magic-Angle Spinning NMR
J. M. MILLER
Lanthanide Induced Shifts and Relaxation Rate Enhancements
J. A. PETERS, J. HUSKENS and D. J. RABER

Volume 29

Direct coupling of chromatographic separations to NMR spectroscopy
J. C. LINDON, J. K. NICHOLSON and I. D. WILSON
NMR investigation of RNA structure
G. VARANI, F. ABOUL-ELA and F. H.-T. ALLAIN
Determination of acidity functions and acid strengths by ^{13}C NMR
D. FARCASIU and A. GHENCIU
Bone marrow NMR in vivo
F. SCHICK
Ab initio calculations of the NMR chemical shift
A. C. DE DIOS